

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)

[Sign in](#)

Google scholar

record medium update address location head d

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

Scholar

Articles and patents

2001

- 2004

include citations

Results 1 - 10 of about 5,370. (0.20 sec)

... reproduction method, information recording device, and information reproduction ...

H Ueda, M Ito - US Patent App. 10/547,825, 2004 - Google Patents

... **Update** last recorded **address** in Rzone in RMD stored in apparatus (Normal completion) (Error completion) ... BACKGROUND ART [0002] Optical discs are available as information **record-** ing **media** having sector ... using bumps and pits of the disc and a user cannot **record** a new ...

[All 5 versions](#)

Tape **drive** apparatus and method for mounting a volume from a tape **medium**

H Nakamura - US Patent 6,525,894, 2003 - Google Patents

... to the embodiment of the present invention, the volume 106 is a **record medium** composed of ...
1. In this example, the sequential **medium** recording/reproducing apparatus 100 is a cassette changer ... The pulled magnetic tape is wound to a rotating **head** (that will be described later ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

... , computer program for controlling **record** or **reproduction**, and data structure ...

T Koda, M Yoshida, K Katata - US Patent App. 10/916,453, 2004 - Google Patents

... CI.7 G06F 11/00 (52) US CI 714/42 (57) ABSTRACT An information recording **medium** provided with: a data area for recording therein **record** data ... VERIFY S 3 5 S 3 7 **RECORD** the EVACUATION DATA INTO SPARE AREA S 3 8 (i) STORE DEFECT **ADDRESS** and SPARE ...

[All 2 versions](#)

... for write once recording **medium**, computer program for **record** or **reproduction** ...

T Koda, M Yoshida, K Katata - US Patent App. 10/565,075, 2004 - Google Patents

... a specific area on the recording **medium**, which is a target for the generation or **update** of the ... information which indicates the attribute and type of the write-once-type recording **medium** of the present invention, information for the **address** man- agement of the **record** data and ...

[All 2 versions](#)

... in an optical recording/reproducing apparatus and optical recording **medium drive** ...

S Cho, J Seo, J Jean, S Jung - US Patent App. 09/938,304, 2001 - Google Patents

... having a **head**, the method including: moving a position of the **head** for **record**- ing data ... to the filtered control inputs; and outputting a result of the addition to **update** the control ... actuator 500 due to a periodic disturbance, such as an eccentricity on the optical recording **medium**. ...

[All 4 versions](#)

[... storage **medium** with defect management area, information **reproduction** ...](#)

H Takahashi - 2004 - freepatentsonline.com

... k-th DMA reserved areas contained in DMA sequence 1 and DMA sequence 2 **record** identical defect ... That is, the information storage **medium** of the present invention adopts a hybrid search format (HSF) that can ... 32 is a flow chart showing an overview of the DMA **update** process ...

[... recording **medium**, computer program for controlling recording or **reproduction**, ...](#)

T Koda, M Yoshida, K Kataa - US Patent App. 10/563,367, 2004 - Google Patents

... 7/095 (2006.01) (52) US CI 369/53.21 (57) ABSTRACT An information recording **medium** (100) provided with ... S 38 Store Defect Position and Recording Position in Spare Area, and **Update** Defect Management Information S 4 0 Additionally **Record** Updated Defect ...

[All 3 versions](#)

[... information in an recording **medium**, and apparatus and **medium** based on said ...](#)

BJ Kim, KW Kang - US Patent App. 10/764,019, 2004 - Google Patents

... in an information recording **medium**, more particularly, to a method for creating/writing defect management information for an information **record**- ing **medium**, and to an ... in **location** byte) Contents 0-1 2 SDL identifier (0002h) 2-3 2 Reserved (OOh) 4-7 4 SDL **update** counter 8 ...

[Cited by 2](#) - [Related articles](#) - [All 4 versions](#)

[Disc-shaped recording **medium**, manufacturing method thereof, and disc **drive** ...](#)

Y Teraoka, M Watanabe - US Patent App. 10/486,543, 2004 - Google Patents

... 7,2004 (54) DISC-SHAPED RECORDING **MEDIUM**, MANUFACTURING METHOD THEREOF, AND ... Teraoka, Kanagawa (JP); Makoto Watanabe, Miyagi (JP) Correspondence **Address**: Oblon Spivak ... disk which reproduces information with an optical pickup **head** which uses an ...

[All 6 versions](#)

[... method, seek operation control method and magnetic disk **drive** using the methods](#)

T Tamura, S Tetsuo, H Uchida - US Patent App. 11/012,460, 2004 - Google Patents

... is provided with a dedicated temporary storage memory to hold information by which to **update** data in a ... follow-up play, are done from another content (image data) stored on the same magnetic disk **medium**. ... rate must be at least twice of that in the normal replay or **record** mode. ...

[All 4 versions](#)



Result Page: 1 2 3 4 5 6 7 8 9 10 Next

record medium update address loca

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google